

FIG. 1




FIG. 2




FIG. 3

4/10




FIG. 4

5/10

510

520

550

560

570

580

501

500

515

530

540

503

502

504

500'

QUICK CHECK@ PC600

File Settings View Help

Symbol Data

Scan Direction

Speed Variance

Symbol Grade

Traditional

ISO / IEC

ISO / IEC Scan Grade

R / 4

B / 3

C / 2

D / 1

F / 8

Format

Check Digit

Msg. Length

Dimensional Parameters

Decode -ability

I-Char Gap W/N Ratio Avg. Bar Error

Reject

In Spec

+Reject

Reflectance Parameters

R_l

R_d

EC_{min}

MOD

Defects

Copyright © 2003 HHP All Rights Reserved

Start

My Computer

2:35 PM

FIG. 5A

6/10

500

515

510

520

550

560

570

580

530

540

590

QC QUICK CHECK PC

File Settings View Help

1...10

PREV NEXT

ISO / IEC

Traditional

Accumulated Scans

ISO / IEC Symbol Grade

ISO / IEC Scan Grade

R / 4 B / 3 C / 2 D / 1 F / 8

Format Check Digit Msg. Length

Parameters

Dimensional Parameters

Decode -ability

I-Char Gap W/N Ratio Aug. Bar Error

Reject - In Spec + Reject

Symbol Data

Symbology

Scan Direction

Speed Variance

Reflectance Parameters

R_l

R_d

PCS

SC

Defects

Copyright © 2003 HHP All Rights Reserved

For Help press F1

No Port Selected

FIG. 5B




FIG. 6




FIG. 7

8/10



800

FIG. 8

520

FIG. 9



9/10




FIG. 10




FIG. 11

10/10




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16